	Application No.	Applicant(s)
Notice of Allowability	09/658,699	OPPMANN ET AL.
	Examiner	Art Unit
	F. Pierre VanderVegt	1644
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>papers filed February 3, 2006</u> .		
2. The allowed claim(s) is/are <u>63-66,69-73 and 79</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary	(PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	te <u>03162006</u> .
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allowance

Application/Control Number: 09/658,699

Art Unit: 1644

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ping Hwung on March 15, 2006.

The application has been amended as follows:

IN THE CLAIMS:

Claims 74-78 have been canceled without prejudice or disclaimer as being drawn to a non-elected invention.

In claim 63, line 5 of the claim, the recitation --(SEQ ID NO:2 or 4)-- has been inserted after "IL-B30 subunit".

In claim 63, line 5 of the claim, the recitation --(SEQ ID NO:6 or 8)-- has been inserted after "p40 subunit".

In claim 63, line 7, the recitation "comprising" has been replaced by --consists of--.

In claim 63, line 8, the recitation "the" has been replaced by --said--.

In claim 63, line 9, the recitation "the" has been replaced by --said--.

In claim 64, line 1, the recitation --thereof-- has been inserted after "fragment".

In claim 69, line 5 of the claim, the recitation --(SEQ ID NO:2 or 4)-- has been inserted after "IL-B30 subunit".

In claim 69, line 5 of the claim, the recitation --(SEQ ID NO:6 or 8)-- has been inserted after "p40 subunit".

In claim 69, line 6, the recitation --thereof-- has been inserted after "fragment".

In claim 69, line 8, the recitation --thereof-- has been inserted after "fragments".

In claim 69, line 10, the recitation --thereof-- has been inserted after "fragments".

In claim 69, line 11, the recitation --thereof-- has been inserted after "fragment".

In claim 70, line 1, the recitation --thereof-- has been inserted after "fragment".

Art Unit: 1644

In claim 71, line 1, the recitation --thereof-- has been inserted after "fragment".

In claim 79, line 1, the recitation --thereof-- has been inserted after "fragment".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to F. Pierre VanderVegt whose telephone number is (571) 272-0852. The examiner can normally be reached on M-Th 6:30-4:00 and Alternate Fridays 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Chan can be reached on (571) 272-0841. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

F. Pierre VanderVegt, Ph.D. Patent Examiner

March 16, 2006

CHRISTINA CHAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600